

Risk Assessment Form

Activity: Traversing Wall Date Assessed: January 2025 Review Date January 2026

Assessed by: Dave Dryden Signature: Date: Jan 2025

Shared with Trustees: YES Date: Jan 2025

Hazard	Who might be	Controls	After controls			What further action is required to control risk	
	harmed		Severity 1-10	Likelihood 1-10	Rating (SxL)		
Injury from falling.	All	 Group instructed not to let young people climb higher than climbing holds and not to use the top of the boards as a handhold. Activity supervised by responsible person. The ground is laid with 6 inches deep of 10mm shingle. This allows a soft landing, No open toed sandals, sturdy footwear recommended, 	4	4	16		
Falling on to someone	All	 Activity limited to 20 participants. Activity supervised by a responsible adult. limit of 8 climbers on the wall, evenly spaced and not bunched together. Spectators remain outside the enclosure. 	4	3	12		

Rating	81-100	61-80	41-60	21-40	11-20	0-10
Action	Immediate action - Activity to risky	Immediate action - Activity to risky	Not adequately controlled - Further controls required	Further investigation required.	Adequately controlled	Trivial risk



Risk Assessment Form

Assessed by:	Dave Dryden	Signature:		Date:	Jan 2025		
Shared with Trustees	: YES		Date: Jan 2025				
				V			

Personal Injury	Participants	 Climbers warned not to put their hands on the top of the wall. Activity supervised by a responsible adult. No open toed sandals, sturdy footwear recommended, No playing or throwing of the shingle 	4	4	16	
Horseplay	Participants	 Activity supervised by a responsible adult. Participants given clear instructions, and warned that any breach of the Safety Rules will result in the session being stopped. 	6	2	12	

Rating	81-100	61-80	41-60	21-40	11-20	0-10
Action	Immediate action - Activity to risky	Immediate action - Activity to risky	Not adequately controlled - Further controls required	Further investigation required.	Adequately controlled	Trivial risk